



RUBBER FLOORING DIAMOND TYPE: TECHNICAL DATA SHEET



Material:

DIAMOND SHAPE Rubber Sheets are produced of SBR based rubber compounds.

Sizes:

- Thickness: 3mm \pm 0.4mm
- Width: 1200mm \pm 40mm
- Length of the rolls: 10 000 – 15 000mm \pm 1000mm

Technical parameters:

- Tensile strength: >4 Mpa
- Hardness: 70 \pm 5 ShA
- Density: 1.5 (gr./cm³)
- Elongation at break: >220 %





RUBBER FLOORING DIAMOND TYPE: SPECIFICATION



RUBBER FLOORING TYPE DIAMOND (DF):

- Length of the strips: 43mm
- Width of the strips: 4.5mm
- Pattern: strips in a square
- Width of the roll: 1200±40mm
- Length of the roll: 10 000mm
- Hardness 65±mm






A

A

A:A



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN MILLIMETERS
SURFACE FINISH:
TOLERANCES:
LINEAR:
ANGULAR:

FINISH:

DEBURR AND
BREAK SHARP
EDGES

DO NOT SCALE DRAWING

REVISION

	NAME	SIGNATURE	DATE	
DRAWN				
CHK'D				
APPV'D				
MFG				
Q.A				

TITLE:	
DWG NO.	DF
MATERIAL:	
WEIGHT:	
SCALE:1:1	SHEET 1 OF 1

A4

DF